

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

County, tells me that he observed one at South Setauket in May, but could not secure it. Neither of us ever met the bird before, and it is quite rare.

Other notable captures are the Bay-breasted Warbler, of which I have secured one and Mr. Helme four, and the Nashville Warbler of which I have seen two.

The season has been very late, the majority of the May migrants not appearing until the 16th, when there was a large flight. They continued to come to the very last of the month; a large flight occurred on the 26th, a smaller one on the 27th, and a considerable number of migrants, mostly Blackpoll Warblers, were observed on the 30th.—Arthur H. Howell, Brooklyn, N. Y.

Spring Arrivals at Washington, D. C.—The first individuals of several spring migrants seen in the vicinity of Washington during the present season having been noted, the dates of their arrival are given herewith, as being of probable interest to readers of 'The Auk.' For some of the records I am indebted to other observers, whose names are given in connection therewith.

Spizella socialis.—April 3.

Thryothorus bewickii. — April 5. A male of this species was heard singing near my house in Brookland (one of the suburbs of Washington), but was purposely not collected. It is an excessively rare bird in this part of the country, only three specimens having been obtained (two at Arlington, Virginia, April 10, 1882, and April 6, 1883, by Mr William Palmer, and one in Washington, April 8, 1888, by Mr. M. M. Green).

Chelidon erythrogaster.—April 7.

Stelgidopteryx serripennis.—April 8.

Troglodytes aëdon.—April 17.

Polioptila cærulea .-- April 17. (W. Palmer).

 $Harporhynchus\ rufus. \hbox{$--$April}\ \ {\tt 18}.$

Chætura pelagica.—April 23.

Seiurus aurocapillus.—April 24.

Progne subis — April 24. (N. R.

Progne subis.—April 24. (N. R. Woods).

Seiurus noveboracensis.—April 24. (W. Palmer).

Antrostomus vociferus.—April 24. (W. Palmer). Geothlypis trichas.—April 24. (W. Palmer).

Setophaga ruticilla.—April 24. (W. Palmer.)

Mniotilta varia.—April 24. (W. Palmer).

Dendroica æstiva.—April 26. (C. I. Goodale).

Turdus mustelinus.—April 28. (W. Palmer).

Vireo gilvus.—April 30.

Galeoscoptes carolinensis.—April 30.

Dendroica discolor.—April 30.

Myiarchus crinitus.—May 1.

Piranga rubra.—May 1. (Takoma, D. C.; R. W. Shufeldt).

Helmitherus vermivorus.—May 1. (Takoma, D. C.; R. W. Shufeldt).

Contopus virens.—May 2.

Passerina cyanea.—May 2.

Dendroica cærulescens.—May 2. (Norbeck, Md.; C. Abert).

Habia ludoviciana.—May 3.

Icteria virens.—May 3.

Vireo olivaceus.—May 3.

Icterus spurius.—May 3. (C. I. Goodale).

Trochilus colubris.—May 3. (C. I. Goodale).

Chordeiles virginianus.—May 3.

Dendroica blackburniæ.—May 4. (Takoma, D. C.; R. W. Shufeldt). As showing the considerably earlier migration west of the Alleghanies, it may be mentioned that the National Museum has just received a specimen of this bird, shot April 22 at East Saginaw, Michigan, by Mr. Peter Lepp, of that place.

Tyrannus tyrannus.—May 4.

Icterus galbula.—May 4. (Takoma, D. C.; R. W. Shufeldt).

Melanerpes erythrocephalus.—May 4.

Compsothlypis americana.—May 4. (C. I. Goodale).—Robert Ridgway, Washington, D. C.

Notes on some Birds of Grays Harbor, Washington.—An important paper on the avifauna of the Northwest Coast has been recently published by Mr. R. H. Lawrence,* entitled: 'A Preliminary List of the Birds of the Gray's Harbor Region, Washington.' It contains the results of observations made at various times between April, 1890, and July, 1891, and includes notes on 92 species.

While collecting on the Northwest Coast in the summer of 1889, for the U. S. Department of Agriculture, I spent two weeks and a half at Aberdeen on Grays Harbor, and although the time was mainly devoted to collecting mammals, several species of birds not mentioned in Lawrence's list came under my observation. On account of the peculiar interest of the birds of this region which is within the area of maximum rainfall of the Northwest Coast, the following notes, published through the courtesy of Dr. C. Hart Merriam, Chief of the Division of Ornithology of the Department of Agriculture, may be of interest as supplementing those of Mr. Lawrence.

Aberdeen, the largest town on Grays Harbor, is built on a 'tide flat' on the north side of the Chehalis at the mouth of the Wishkah River. At the time of my visit (August 5-22, 1889) it was practically in the midst of an extensive coniferous forest, the only outlook being down the Chehalis River which furnished almost the only means of communication between the neighboring towns of Cosmopolis and Hoquiam, since the trail through the 'timber' to the latter place was seldom used. In the dense forests, which consist mainly of gigantic spruces (*Picea sitchensis*), hemlocks (*Tsuga mertensiana*), and cedars (*Thuya gigantea*), carpeted

^{*} Auk, IX, Jan. 1892, 39-47.